







## **TYPE R SPECIFICATIONS & FEATURES**

| ENGINE  | TYPE R  |
|---|---|
| ENGINE TYPE   | IN-LINE 4-CYLINDER WITH TURBOCHARGER<br>AND INTERCOOLER |
| BOOST PRESSURE (PSI)                                    | 23.3  |
| DISPLACEMENT (CC)                                       | 1996  |
| HORSEPOWER @ RPM  | 315 @ 6,500   |
| FORQUE (LBFT. @ RPM)                                    | 310 @ 2600-4000   |
| REDLINE (RPM)   | 7000  |
| BORE AND STROKE (MM)                                    | 86.0 X 85.9   |
| COMPRESSION RATIO                                       | 9.8 : 1   |
| /ALVE TRAIN   | 16-VALVE DOHC VTEC                                      |
| HONDA LOGR DATALOGGER SYSTEM                            | 0   |
| ACTIVE SOUND CONTROL (ASC)                              | •   |
| 1-MODE DRIVE SYSTEM (COMFORT / SPORT / INDIVIDUAL / +R) | 0   |
| DIRECTINJECTION   | <b>Ø</b>  |
| DRIVE-BY-WIRE THROTTLE SYSTEM                           | <b>Ø</b>  |
| NATER-COOLED OIL COOLER                                 | <b>Ø</b>  |
| ELECTRIC PARKING BRAKE WITH AUTOMATIC BRAKE HOLD        | <b>Ø</b>  |
| HILL START ASSIST                                       | Ø   |
| DIRECT IGNITION SYSTEM WITH IMMOBILIZER                 | Ø   |

| TRANSMISSION   | TYPE R |
|--|--------|
| 6-SPEED MANUAL TRANSMISSION (6MT) WITH REV-MATCH CONTROL |        |
| 1ST  | 3.625  |
| 2ND  | 2.115  |
| 3RD  | 1.529  |
| 4TH  | 1.125  |
| STH  | 0.911  |
| 6TH  | 0.735  |
| REVERSE  | 3.758  |
| FINAL DRIVE  | 3.842  |
| LIGHTWEIGHT SINGLE-MASS FLYWHEEL                         | ⊗      |
| HELICAL LIMITED-SLIP DIFFERENTIAL                        | ⊗      |
|  |        |

| FUEL                        |  |
|-----------------------------|--|
| FUEL TANK CAPACITY (LITERS) | 57                                     |
| REQUIRED FUEL               | REGULAR UNLEADED (PREMIUM RECOMMENDED) |

| ODY - SUSPENSION - CHASSIS   | TYPE R                              |
|--|-------------------------------------|
| ADAPTIVE DAMPER SYSTEM   | <ul><li></li></ul>                  |
| DUAL-AXIS MACPHERSON STRUT FRONT SUSPENSION  |                                     |
| MULTI-LINK REAR SUSPENSION   | ∅                                   |
| DUAL-PINION, VARIABLE-RATIO ELECTRIC POWER STEERING (EPS)  | <b>Ø</b>                            |
| TABILIZER BAR (MM) (FRONT / REAR)  | 29.0 X 5.0 (TUBULAR) / 20.5 (SOLID) |
| TEERING WHEEL TURNS, LOCK-TO-LOCK  | 2.10                                |
| TEERING RATIO  | 11.6: 1                             |
| URNING DIAMETER, CURB-TO-CURB (M)  | 12.1                                |
| POWER-ASSISTED, VENTILATED, TWO-PIECE FRONT DISC / SOLID REAR DISC<br>BRAKES (MM) (FRONT / REAR) | 350 / 305                           |
| BREMBO 5 4-PISTON ALUMINUM FRONT BRAKE CALIPERS  |                                     |
| VHEELS   | 19-INCH MATTE BLACK ALLOYS          |
| MAXIMUM-PERFORMANCE TIRES  | 265 / 30Z / R19                     |
| PARE TIRE  | T125 / 70R18 99M                    |

| EXTERIOR DIMENSIONS                        | TYPE R      |
|--|-------------|
| WHEELBASE (MM)                             | 2735        |
| LENGTH (MM)                                | 4606        |
| HEIGHT (MM)                                | 1407        |
| WIDTH (MM)                                 | 1890        |
| GROUND CLEARANCE (MM)                      | 123         |
| TRACK (MM, FRONT / REAR)                   | 1626 / 1614 |
| APPROACH ANGLE / DEPARTURE ANGLE (DEGREES) | 10.9 / 15.9 |

| WEIGHT                                | TYPE R  |
|---------------------------------------|---------|
| CURB WEIGHT (KG)                      | 1443    |
| WEIGHT DISTRIBUTION (%, FRONT / REAR) | 62 / 38 |

| INTERIOR DIMENSIONS              | TYPE R      |
|----------------------------------|-------------|
| HEADROOM (MM, FRONT / REAR)      | 998 / 942   |
| LEGROOM (MM, FRONT / REAR)       | 1074 / 950  |
| SHOULDER ROOM (MM, FRONT / REAR) | 1448 / 1422 |
| HIPROOM (MM, FRONT / REAR)       | 1379 / 1242 |
| CARGO VOLUME (LITERS)            | 609         |
| PASSENGER VOLUME (LITERS)        | 2804        |
|                                  |             |

| SAFETY   | TYPE R   |
|--|----------|
| HONDA SENSING FEATURES                               |          |
| COLLISION MITIGATION BRAKING SYSTEM (CMBS)           | <b>O</b> |
| ROAD DEPARTURE MITIGATION SYSTEM (RDM)               | Ø        |
| ADAPTIVE CRUISE CONTROL (ACC)                        | <b>Ø</b> |
| LANE KEEPING ASSIST SYSTEM (LKAS)                    | <b>Ø</b> |
| FORWARD COLLISION WARNING (FCW)                      | <b>⊘</b> |
| LANE DEPARTURE WARNING (LDW)                         |          |
| DRIVER-ASSISTIVE TECHNOLOGIES                        |          |
| AUTO HIGH-BEAM HEADLIGHTS                            | <b>⊘</b> |
| DRIVER ATTENTION MONITOR                             | <b>⊘</b> |
| CROSS TRAFFIC MONITOR                                |          |
| ACTIVE SAFETY  |          |
| MULTI-ANGLE REARVIEW CAMERA WITH DYNAMIC GUIDELINES  | Ø        |
| VEHICLE STABILITY ASSIST (VSA) WITH TRACTION CONTROL | Ø        |
| ANTI-LOCK BRAKING SYSTEM (ABS)                       | Ø        |
| ELECTRONIC BRAKE DISTRIBUTION (EBD)                  | Ø        |
| BRAKE ASSIST   | Ø        |
| TIRE PRESSURE MONITORING SYSTEM (TPMS)               | Ø        |
| LED DAYTIME RUNNING LIGHTS (DRL)                     | 0        |

| SAFETY (CONT.)  | TYPE R   |
|---|----------|
| PASSIVE SAFETY  |          |
| ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE | <b>⊘</b> |
| FRONT AIRBAGS (SRS)                                     | <b>Ø</b> |
| FRONT KNEE AIRBAGS (SRS)                                | <b>Ø</b> |
| FRONT SIDE AIRBAGS                                      | <b>Ø</b> |
| SIDE CURTAIN AIRBAGS                                    | <b>Ø</b> |
| 3-POINT SEAT BELTS AT ALL SEATING POSITIONS             | <b>Ø</b> |
| LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH)          | <b>Ø</b> |
| SEAT-BELT REMINDER FOR ALL SEATING POSITIONS            | 0        |
| REAR SEAT REMINDER (RSR)                                | 0        |
| CHILD-PROOF REAR DOOR LOCKS                             | 0        |
|   |          |

| AUDIO & CONNECTIVITY  | TYPE R   |
|---|----------|
| BOSE PREMIUM SOUND SYSTEM WITH 12 SPEAKERS, INCLUDING SUBWOOFER                               | 0        |
| 9-INCH COLOR TOUCH-SCREEN WITH VOLUME KNOB, CUSTOMIZABLE FEATURE SETTINGS AND SMART SHORTCUTS | •        |
| 10.2" DRIVER INFORMATION INTERFACE SCREEN   | •        |
| WIRELESS IN-CAR SMARTPHONE INTEGRATION APP  | <b>⊘</b> |
| 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE - FRONT CONSOLE (1 PORT)                             | •        |
| 2.5-AMP USB CHARGING PORT - FRONT CONSOLE (1 PORT)  | •        |
| 12-VOLT POWER OUTLET - FRONT CONSOLE  | •        |
| BLUETOOTH HANDS FREE LINK   | ⊗        |
| BLUETOOTH STREAMING AUDIO   | ⊗        |
| SPEED-SENSITIVE VOLUME CONTROL (SVC)  | ⊗        |
| WIRELESS PHONE CHARGER  | ⊗        |
| 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE (FRONT CONSOLE)                                      | ⊗        |

| TYPE R SERIAL NUMBER PLATE   | <b>⊘</b> |
|--|----------|
| TYPE R STEERING WHEEL  | ⊗        |
| SPORT PEDALS   | ⊗        |
| ALUMINUM SHIFT KNOB  | ∅        |
| DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM                               | <b>⊘</b> |
| PUSH BUTTON START  | <b>⊘</b> |
| POWER WINDOWS WITH AUTO-UP/DOWN DRIVER'S AND FRONT PASSENGER'S WINDOWS   | •        |
| POWER DOOR LOCKS   | <b>⊘</b> |
| DRIVER'S AND FRONT PASSENGER'S ILLUMINATED WINDOW AND DOOR LOCK CONTROLS | •        |
| CRUISE CONTROL   | <b>⊘</b> |
| ONE-TOUCH TURN INDICATORS  | <b>o</b> |
| TILT AND TELESCOPIC STEERING COLUMN                                      |          |
| LED POCKET LIGHT   |          |
| CENTER CONSOLE WITH STORAGE COMPARTMENT                                  |          |
| SLIDING SUNVISORS  |          |
| SUNVISOR WITH TICKET HOLDER  |          |
| ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS                              |          |
| ILLUMINATED DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS                |          |
| DOOR-POCKET STORAGE BINS (FRONT / REAR)                                  | <b>⊘</b> |
| REMOTE TRUNK RELEASE   | <b>⊘</b> |
| HEADLIGHTS-ON REMINDER   | <b>⊘</b> |
| MAP LIGHTS   | •        |
| REAR-SEAT HEATER DUCTS   | •        |
| RED FLOOR MATS   | ⊗        |
| REAR-WINDOW DEFROSTER WITH TIMER   | ⊗        |
| CARGO AREA LIGHT   | ⊗        |
| BEVERAGE HOLDERS   |          |

| SEATING  | TYPE R   |
|--|----------|
| EXCLUSIVELY-DESIGNED, HIGH-BOLSTERED RED / BLACK SPORT SEATS WITH DOUBLE RED STITCHING | •        |
| ADJUSTABLE FRONT SEAT-BELT ANCHORS   | •        |
| 60 / 40 SPLIT FOLD-DOWN REAR SEATBACK  | <b>O</b> |
| SEATING CAPACITY   | 4        |
|  |          |

| EXTERIOR FEATURES   | TYPE R |
|---|--------|
| RED HONDA "H" BADGES (FRONT / REAR)   |        |
| TYPE R BADGES (FRONT/REAR)  | Ø      |
| LED HEADLIGHTS WITH AUTO-ON / OFF   | Ø      |
| LED BRAKE AND TAILLIGHTS  | Ø      |
| GLOSS BLACK SIDE SILLS  | Ø      |
| GLOSS BLACK WING SPOILER  | Ø      |
| ALUMINUM HOOD   | Ø      |
| CENTER-MOUNTED, TRIPLE OUTLET EXHAUST WITH ACTIVE EXHAUST VALVE             | Ø      |
| SMART ENTRY WITH WALK AWAY AUTO LOCK  | Ø      |
| GLOSS BLACK FIN-TYPE ROOF-MOUNTED ANTENNA                                   | Ø      |
| REAR WINDOW WIPER/WASHER  | Ø      |
| SECURITY SYSTEM WITH REMOTE ENTRY AND HATCH RELEASE                         | Ø      |
| VARIABLE INTERMITTENT WINDSHIELD WIPERS                                     | Ø      |
| GLOSS BLACK, POWER FOLDING SIDE MIRRORS WITH INTEGRATED LED TURN INDICATORS | Ø      |
| BODY-COLORED DOOR HANDLES   | 0      |



hondalatincaribbean.com Locate your Honda Distributor online. latincaribbean.hondatechtutor.com For helpful videos about vehicle features.











## **TYPE R SPECIFICATIONS & FEATURES**

| ENGINE  | TYPE R  |
|---|---|
| ENGINE TYPE   | IN-LINE 4-CYLINDER WITH TURBOCHARGER<br>AND INTERCOOLER |
| BOOST PRESSURE (PSI)                                    | 23.3  |
| DISPLACEMENT (CC)                                       | 1996  |
| HORSEPOWER @ RPM  | 315 @ 6,500   |
| FORQUE (LBFT. @ RPM)                                    | 310 @ 2600-4000   |
| REDLINE (RPM)   | 7000  |
| BORE AND STROKE (MM)                                    | 86.0 X 85.9   |
| COMPRESSION RATIO                                       | 9.8 : 1   |
| /ALVE TRAIN   | 16-VALVE DOHC VTEC                                      |
| HONDA LOGR DATALOGGER SYSTEM                            | 0   |
| ACTIVE SOUND CONTROL (ASC)                              | •   |
| 1-MODE DRIVE SYSTEM (COMFORT / SPORT / INDIVIDUAL / +R) | 0   |
| DIRECTINJECTION   | <b>Ø</b>  |
| DRIVE-BY-WIRE THROTTLE SYSTEM                           | <b>Ø</b>  |
| NATER-COOLED OIL COOLER                                 | <b>Ø</b>  |
| ELECTRIC PARKING BRAKE WITH AUTOMATIC BRAKE HOLD        | <b>Ø</b>  |
| HILL START ASSIST                                       | Ø   |
| DIRECT IGNITION SYSTEM WITH IMMOBILIZER                 | Ø   |

| TRANSMISSION   | TYPE R |
|--|--------|
| 6-SPEED MANUAL TRANSMISSION (6MT) WITH REV-MATCH CONTROL |        |
| 1ST  | 3.625  |
| 2ND  | 2.115  |
| 3RD  | 1.529  |
| 4TH  | 1.125  |
| STH  | 0.911  |
| 6TH  | 0.735  |
| REVERSE  | 3.758  |
| FINAL DRIVE  | 3.842  |
| LIGHTWEIGHT SINGLE-MASS FLYWHEEL                         | ⊗      |
| HELICAL LIMITED-SLIP DIFFERENTIAL                        | ⊗      |
|  |        |

| FUEL                        |  |
|-----------------------------|--|
| FUEL TANK CAPACITY (LITERS) | 57                                     |
| REQUIRED FUEL               | REGULAR UNLEADED (PREMIUM RECOMMENDED) |

| ODY - SUSPENSION - CHASSIS   | TYPE R                              |
|--|-------------------------------------|
| ADAPTIVE DAMPER SYSTEM   | <ul><li></li></ul>                  |
| DUAL-AXIS MACPHERSON STRUT FRONT SUSPENSION  |                                     |
| MULTI-LINK REAR SUSPENSION   | ∅                                   |
| DUAL-PINION, VARIABLE-RATIO ELECTRIC POWER STEERING (EPS)  | <b>Ø</b>                            |
| TABILIZER BAR (MM) (FRONT / REAR)  | 29.0 X 5.0 (TUBULAR) / 20.5 (SOLID) |
| TEERING WHEEL TURNS, LOCK-TO-LOCK  | 2.10                                |
| TEERING RATIO  | 11.6: 1                             |
| URNING DIAMETER, CURB-TO-CURB (M)  | 12.1                                |
| POWER-ASSISTED, VENTILATED, TWO-PIECE FRONT DISC / SOLID REAR DISC<br>BRAKES (MM) (FRONT / REAR) | 350 / 305                           |
| BREMBO 5 4-PISTON ALUMINUM FRONT BRAKE CALIPERS  |                                     |
| VHEELS   | 19-INCH MATTE BLACK ALLOYS          |
| MAXIMUM-PERFORMANCE TIRES  | 265 / 30Z / R19                     |
| PARE TIRE  | T125 / 70R18 99M                    |

| EXTERIOR DIMENSIONS                        | TYPE R      |
|--|-------------|
| WHEELBASE (MM)                             | 2735        |
| LENGTH (MM)                                | 4606        |
| HEIGHT (MM)                                | 1407        |
| WIDTH (MM)                                 | 1890        |
| GROUND CLEARANCE (MM)                      | 123         |
| TRACK (MM, FRONT / REAR)                   | 1626 / 1614 |
| APPROACH ANGLE / DEPARTURE ANGLE (DEGREES) | 10.9 / 15.9 |

| WEIGHT                                | TYPE R  |
|---------------------------------------|---------|
| CURB WEIGHT (KG)                      | 1443    |
| WEIGHT DISTRIBUTION (%, FRONT / REAR) | 62 / 38 |

| INTERIOR DIMENSIONS              | TYPE R      |
|----------------------------------|-------------|
| HEADROOM (MM, FRONT / REAR)      | 998 / 942   |
| LEGROOM (MM, FRONT / REAR)       | 1074 / 950  |
| SHOULDER ROOM (MM, FRONT / REAR) | 1448 / 1422 |
| HIPROOM (MM, FRONT / REAR)       | 1379 / 1242 |
| CARGO VOLUME (LITERS)            | 609         |
| PASSENGER VOLUME (LITERS)        | 2804        |
|                                  |             |

| SAFETY   | TYPE R   |
|--|----------|
| HONDA SENSING FEATURES                               |          |
| COLLISION MITIGATION BRAKING SYSTEM (CMBS)           | <b>O</b> |
| ROAD DEPARTURE MITIGATION SYSTEM (RDM)               | Ø        |
| ADAPTIVE CRUISE CONTROL (ACC)                        | <b>Ø</b> |
| LANE KEEPING ASSIST SYSTEM (LKAS)                    | <b>Ø</b> |
| FORWARD COLLISION WARNING (FCW)                      | <b>⊘</b> |
| LANE DEPARTURE WARNING (LDW)                         |          |
| DRIVER-ASSISTIVE TECHNOLOGIES                        |          |
| AUTO HIGH-BEAM HEADLIGHTS                            | <b>⊘</b> |
| DRIVER ATTENTION MONITOR                             | <b>⊘</b> |
| CROSS TRAFFIC MONITOR                                |          |
| ACTIVE SAFETY  |          |
| MULTI-ANGLE REARVIEW CAMERA WITH DYNAMIC GUIDELINES  | Ø        |
| VEHICLE STABILITY ASSIST (VSA) WITH TRACTION CONTROL | Ø        |
| ANTI-LOCK BRAKING SYSTEM (ABS)                       | Ø        |
| ELECTRONIC BRAKE DISTRIBUTION (EBD)                  | Ø        |
| BRAKE ASSIST   | Ø        |
| TIRE PRESSURE MONITORING SYSTEM (TPMS)               | Ø        |
| LED DAYTIME RUNNING LIGHTS (DRL)                     | 0        |

| SAFETY (CONT.)  | TYPE R   |
|---|----------|
| PASSIVE SAFETY  |          |
| ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE | <b>⊘</b> |
| FRONT AIRBAGS (SRS)                                     | <b>Ø</b> |
| FRONT KNEE AIRBAGS (SRS)                                | <b>Ø</b> |
| FRONT SIDE AIRBAGS                                      | <b>Ø</b> |
| SIDE CURTAIN AIRBAGS                                    | <b>Ø</b> |
| 3-POINT SEAT BELTS AT ALL SEATING POSITIONS             | <b>Ø</b> |
| LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH)          | <b>Ø</b> |
| SEAT-BELT REMINDER FOR ALL SEATING POSITIONS            | 0        |
| REAR SEAT REMINDER (RSR)                                | 0        |
| CHILD-PROOF REAR DOOR LOCKS                             | 0        |
|   |          |

| AUDIO & CONNECTIVITY  | TYPE R   |
|---|----------|
| BOSE PREMIUM SOUND SYSTEM WITH 12 SPEAKERS, INCLUDING SUBWOOFER                               | 0        |
| 9-INCH COLOR TOUCH-SCREEN WITH VOLUME KNOB, CUSTOMIZABLE FEATURE SETTINGS AND SMART SHORTCUTS | •        |
| 10.2" DRIVER INFORMATION INTERFACE SCREEN   | •        |
| WIRELESS IN-CAR SMARTPHONE INTEGRATION APP  | <b>⊘</b> |
| 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE - FRONT CONSOLE (1 PORT)                             | •        |
| 2.5-AMP USB CHARGING PORT - FRONT CONSOLE (1 PORT)  | •        |
| 12-VOLT POWER OUTLET - FRONT CONSOLE  | •        |
| BLUETOOTH HANDS FREE LINK   | ⊗        |
| BLUETOOTH STREAMING AUDIO   | ⊗        |
| SPEED-SENSITIVE VOLUME CONTROL (SVC)  | ⊗        |
| WIRELESS PHONE CHARGER  | ⊗        |
| 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE (FRONT CONSOLE)                                      | ⊗        |

| TYPE R SERIAL NUMBER PLATE   | <b>⊘</b> |
|--|----------|
| TYPE R STEERING WHEEL  | ⊗        |
| SPORT PEDALS   | ⊗        |
| ALUMINUM SHIFT KNOB  | ∅        |
| DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM                               | <b>⊘</b> |
| PUSH BUTTON START  | <b>⊘</b> |
| POWER WINDOWS WITH AUTO-UP/DOWN DRIVER'S AND FRONT PASSENGER'S WINDOWS   | •        |
| POWER DOOR LOCKS   | <b>⊘</b> |
| DRIVER'S AND FRONT PASSENGER'S ILLUMINATED WINDOW AND DOOR LOCK CONTROLS | •        |
| CRUISE CONTROL   | <b>⊘</b> |
| ONE-TOUCH TURN INDICATORS  | <b>o</b> |
| TILT AND TELESCOPIC STEERING COLUMN                                      |          |
| LED POCKET LIGHT   |          |
| CENTER CONSOLE WITH STORAGE COMPARTMENT                                  |          |
| SLIDING SUNVISORS  |          |
| SUNVISOR WITH TICKET HOLDER  |          |
| ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS                              |          |
| ILLUMINATED DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS                |          |
| DOOR-POCKET STORAGE BINS (FRONT / REAR)                                  | <b>⊘</b> |
| REMOTE TRUNK RELEASE   | <b>⊘</b> |
| HEADLIGHTS-ON REMINDER   | <b>⊘</b> |
| MAP LIGHTS   | •        |
| REAR-SEAT HEATER DUCTS   | •        |
| RED FLOOR MATS   | ⊗        |
| REAR-WINDOW DEFROSTER WITH TIMER   | ⊗        |
| CARGO AREA LIGHT   | ⊗        |
| BEVERAGE HOLDERS   |          |

| SEATING  | TYPE R |
|--|--------|
| EXCLUSIVELY-DESIGNED, HIGH-BOLSTERED RED / BLACK SPORT SEATS WITH DOUBLE RED STITCHING | •      |
| ADJUSTABLE FRONT SEAT-BELT ANCHORS   | 0      |
| 60 / 40 SPLIT FOLD-DOWN REAR SEATBACK  | •      |
| SEATING CAPACITY   | 4      |
|  |        |

| EXTERIOR FEATURES   | TYPE R |
|---|--------|
| RED HONDA "H" BADGES (FRONT / REAR)   |        |
| TYPE R BADGES (FRONT/REAR)  | Ø      |
| LED HEADLIGHTS WITH AUTO-ON / OFF   | Ø      |
| LED BRAKE AND TAILLIGHTS  | Ø      |
| GLOSS BLACK SIDE SILLS  | Ø      |
| GLOSS BLACK WING SPOILER  | Ø      |
| ALUMINUM HOOD   | Ø      |
| CENTER-MOUNTED, TRIPLE OUTLET EXHAUST WITH ACTIVE EXHAUST VALVE             | Ø      |
| SMART ENTRY WITH WALK AWAY AUTO LOCK  | Ø      |
| GLOSS BLACK FIN-TYPE ROOF-MOUNTED ANTENNA                                   | Ø      |
| REAR WINDOW WIPER/WASHER  | Ø      |
| SECURITY SYSTEM WITH REMOTE ENTRY AND HATCH RELEASE                         | Ø      |
| VARIABLE INTERMITTENT WINDSHIELD WIPERS                                     | Ø      |
| GLOSS BLACK, POWER FOLDING SIDE MIRRORS WITH INTEGRATED LED TURN INDICATORS | Ø      |
| BODY-COLORED DOOR HANDLES   | 0      |



hondalatincaribbean.com Locate your Honda Distributor online. latincaribbean.hondatechtutor.com For helpful videos about vehicle features.

